



DH1~DH2=16171 (±20)

Coordinates


Mark	X	Y	R
GM	0	0	—
f 28	3957	7049	1500
DH1	-7900	-3000	—
DH2	8294	-1900	—
a 1	-7569	-3828	300
a 2	-7252	-4215	200
a 3	-5914	-5092	200
a 4	-5453	-5228	300
a 5	-3437	-6383	400
a 6	2196	-6922	400
a 7	4625	-5757	300
a 8	5106	-5621	200
a 9	6444	-4745	200
a 10	6761	-4358	300




Hook



Section a1~4



Section a7~10



Section f28






Quantity	1/1000 mm	Cal. No. : 1L22
Unit	10:1	Parts:
Scale	Drawn	Name:
Date	Checked	Frame for Case
Drawn	Approved	Drawing No. : 1L22C0000
Checked	T. Hiruta	
Approved		
Material	General Tolerances	
Heat Treatment	Dimensions	
Hardness	Angles	
Plating		

CITIZEN WATCH CO., LTD.
TOKYO, JAPAN

DH1~DH2= 16171 (±20)

Coordinates

Mark	X	Y	R
GM	0	0	—
f 28	3590	7049	1500
DH1	-7900	-3000	—
DH2	8234	-1900	—
a 1	-7569	-3828	300
a 2	-7252	-4215	200
a 3	-5914	-5092	200
a 4	-5433	-5228	300
a 5	-3437	-6383	400
a 6	2156	-6922	400
a 7	4625	-5757	300
a 8	5106	-5621	200
a 9	6444	-4745	200
a 10	6761	-4358	300




Quantity	Unit	Cal. No. :	1L26
Scale	10:1	Parts:	
Date		Name:	F. Hiruta
Drawn		Checked	T. Hiruta
Material		Approved	
Heat Treatment		Drawing No. :	1L26C0000
Hardness		General Tolerances	
Plating		Dimensions	
		Angles	

CITIZEN WATCH CO., LTD.
TOKYO, JAPAN




DH1~DH2= 16171 (±20)

Coordinates

Mark	X	Y	R
GM	0	0	—
f28	3957	7049	1500
DH1	-7900	-3000	—
DH2	8234	-1900	—
a1	-7569	-3828	300
a2	-7252	-4215	200
a3	-5914	-5092	200
a4	-5433	-5228	300
a5	-3437	-6393	400
a6	2156	-6922	400
a7	4625	-5757	300
a8	5106	-5621	200
a9	6444	-4745	200
a10	6761	-4358	300



MIN 150
MAX 400







Quantity	Unit	1/1000 mm	Cal. No. : 1L32
Scale	10:1	Parts:	
Date		Name:	T. Hiruta
Drawn		Checked	I. Hiruta
Material		Approved	
Heat Treatment		Drawing No. :	1L32C0000
Hardness		General Tolerances	
Plating		Dimensions	
		Angles	

CITIZEN WATCH CO., LTD.
TOKYO, JAPAN

DH1~DH2= 16171 (±20)

Coordinates

Mark	X	Y	R
GM	0	0	—
f 28	3957	7049	1500
DH1	-7900	-3000	—
DH2	8234	-1900	—
a 1	-7569	-3828	300
a 2	-7252	-4215	200
a 3	-5914	-5092	200
a 4	-5433	-5228	300
a 5	-3437	-6383	400
a 6	2156	-6922	400
a 7	4625	-5757	300
a 8	5106	-5621	200
a 9	6444	-4745	200
a 10	6761	-4358	300




Quantity	Unit	Cal. No. :
1	1/1000 mm	1L36
1	Scale	10:1
1	Date	
1	Drawn	
1	Checked	T. Hiruta
1	Approved	
Material		Name: Frame for Case
Heat Treatment		Drawing No. : 1L36C0000
Hardness		
Plating		
General Tolerances		
Dimensions		
Angles		

CITIZEN WATCH CO., LTD.
TOKYO, JAPAN


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

00-06-16) (2100 1121) (01) ***



7		Quantity		Cal. No. :	1L26-10A
6		Unit	1/1000 mm	Parts:	
5		Scale	7:1	Name:	Indications for Dial
4		Date		Approved	Drawing No. : 1L26D000
3		Drawn		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN	
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.





(01) *** (2100 1121) 1L32-10A *** TIPW

7			Quantity		Cal. No. :	1L32-10A
6			Unit	1/1000 mm	Parts:	
5			Scale	7:1	Name:	Indications for Dial
4			Date		Drawing No. : 1L32D000	
3			Drawn			
2			Checked	T. Hiruta		
1			Approved			
Material						
Heat Treatment			General Tolerances		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN	
Hardness			Dimensions			
Plating			Angles			


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

00-06-16) (2100 1121) (01) ***



7		Quantity		Cal. No. :	1L36-10A
6		Unit	1/1000 mm	Parts:	
5		Scale	7:1	Name:	Indications for Dial
4		Date		Drawing No. :	1L36D000
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances		CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



065-477 (01) *** (2100 1121 A-01 A-01) 00-06-22

7		Quantity		Cal. No. :
6		Unit	1/1000 mm	Parts:
5		Scale	20:1	
4		Date		065-477
3		Drawn		
2		Checked	T. Hiruta	Name:
1		Approved		SETTING STEM
Material				Drawing No. : 4770S000
Heat Treatment		General Tolerances		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN
Hardness		Dimensions		
Plating		Angles		